


4


3

2

1




VENT CURBED




VENT CURBED

VENT FLAT



PARAMETERS	CUSTOM (IN)	TYPICAL(IN)
D		25,29,31,37
W		36 (FOR 12<D<25.5) 48 (FOR 12<D<25.5)
H		29
E		18 (FOR 12<D<25.5) 24 (FOR 12<D<25.5)
F		18 (FOR 12<D<25.5) 24 (FOR 12<D<25.5)
L		36 (FOR 12<D<25.5) 48 (FOR 12<D<25.5)
CIRCLE ONE	CURBED / FLAT	



VENT FLAT

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES

TOLERANCES:

FRACTIONAL ± 1/16  
 ANGULAR: MACH ± 1° BEND ± 1°  
 BEND-LINE PLACEMENT ± 0.010  
 THREE PLACE DECIMAL ± 0.100  
 WELD THICKNESS + 1/16

SHEET METAL SPECIFICATIONS

0.08" 5052 Aluminium

COMMENTS:

	NAME	DATE
DRAWN	KASSIE	07/12/22
CHECKED	ENG'G	
MFG APPR.		

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CHUTES INTERNATIONAL MANUFACTURING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CHUTES INTERNATIONAL MANUFACTURING IS PROHIBITED.



33 Industrial Park Dr.  
 Waldorf, MD 20602  
 Phone: (240) 448-5000  
 Fax: (301) 753-4108  
 WWW.CHUTES.COM

DESCRIPTION:

# SINGLE VENT CURBED/FLAT

SIZE <b>B</b>	PART ID: VENT FLASHING AND RISER	REV <b>A</b>
------------------	-------------------------------------	-----------------

4

3

2

1

B

B

A


A

4



3

2

1



DOUBLE VENT CURBED



PARAMETERS	INCHES
D1	
D2	
W	
H1	
H2	
E	
F	
L	
C	
<b>CIRCLE ONE</b>	<b>CURBED / FLAT</b>

UNLESS OTHERWISE SPECIFIED:	NAME	DATE
DIMENSIONS ARE IN INCHES	DRAWN	KASSIE 07/12/22
TOLERANCES:	CHECKED	ENG'G
FRACTIONAL ± 1/16	MFG APPR.	
ANGULAR: MACH ± 1° BEND ± 1°	<b>PROPRIETARY AND CONFIDENTIAL</b>	
BEND-LINE PLACEMENT ± 0.010	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CHUTES INTERNATIONAL MANUFACTURING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CHUTES INTERNATIONAL MANUFACTURING IS PROHIBITED.	
THREE PLACE DECIMAL ± 0.100		
WELD THICKNESS + 1/16		
SHEET METAL SPECIFICATIONS		
0.08" 5052 Aluminium		
COMMENTS:		

**CHUTES** PATENTED CHUTES INTERNATIONAL™

33 Industrial Park Dr.  
Waldorf, MD 20602  
Phone: (240) 448-5000  
Fax: (301) 753-4108  
WWW.CHUTES.COM

DESCRIPTION:  
**DOUBLE VENT CURBED/FLAT**

SIZE <b>B</b>	PART ID: VENT FLASHING AND RISER	REV <b>A</b>
------------------	-------------------------------------	-----------------

DO NOT SCALE DRAWING      SCALE: 1:12      SHEET 2 OF 4

4

3

2

1

A

A



4

3


2

1



TOP VIEW



PITCHED VENT CURBED CUSTOM



PITCHED VENT FLAT - TYPICAL



FRONT VIEW



PARAMETERS	CUSTOM(IN)	TYPICAL(IN)
W		36 (FOR 12<D<25.5) 48 (FOR 12<D<25.5)
H		29
E		18 (FOR 12<D<25.5) 24 (FOR 12<D<25.5)
F		18 (FOR 12<D<25.5) 24 (FOR 12<D<25.5)
D		25,29,31,37
L		36 (FOR 12<D<25.5) 48 (FOR 12<D<25.5)
K		5
CIRCLE ONE	CURBED / FLAT	

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES

TOLERANCES:

FRACTIONAL ± 1/16  
 ANGULAR: MACH±1° BEND ±1°  
 BEND-LINE PLACEMENT ±0.010  
 THREE PLACE DECIMAL ±0.100  
 WELD THICKNESS + 1/16

SHEET METAL SPECIFICATIONS

0.08" 5052 Aluminium

COMMENTS:

	NAME	DATE
DRAWN	KASSIE	07/12/22
CHECKED	ENG'G	
MFG APPR.		

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CHUTES INTERNATIONAL MANUFACTURING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CHUTES INTERNATIONAL MANUFACTURING IS PROHIBITED.

**CHUTES**  
 PATENTED CHUTES INTERNATIONAL™

33 Industrial Park Dr.  
 Waldorf, MD 20602  
 Phone: (240) 448-5000  
 Fax: (301) 753-4108  
 WWW.CHUTES.COM

DESCRIPTION:  
**PITCHED SINGLE VENT CURBED/FLAT**

SIZE	PART ID:	REV
<b>B</b>	VENT FLASHING AND RISER	

4

3

2

1

B

B

A

A




4

3



2

1

TOP VIEW



PITCHED DOUBLE VENT FLAT - TYPICAL



FRONT VIEW

PARAMETERS	INCHES
D1	
D2	
W	
H1	
H2	
E	
F	
L	
C	
K	
<b>CIRCLE ONE</b>	<b>CURBED / FLAT</b>

UNLESS OTHERWISE SPECIFIED:	NAME	DATE
DIMENSIONS ARE IN INCHES	DRAWN	KASSIE 07/12/22
TOLERANCES:	CHECKED	ENG'G
FRACTIONAL $\pm 1/16$	MFG APPR.	
ANGULAR: MACH $\pm 1^\circ$ BEND $\pm 1^\circ$	<b>PROPRIETARY AND CONFIDENTIAL</b> THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CHUTES INTERNATIONAL MANUFACTURING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CHUTES INTERNATIONAL MANUFACTURING IS PROHIBITED.	
BEND-LINE PLACEMENT $\pm 0.010$		
THREE PLACE DECIMAL $\pm 0.100$		
WELD THICKNESS $+ 1/16$		
SHEET METAL SPECIFICATIONS		
0.08" 5052 Aluminium		
COMMENTS:		

**CHUTES**  
PATENTED CHUTES INTERNATIONAL™

33 Industrial Park Dr.  
Waldorf, MD 20602  
Phone: (240) 448-5000  
Fax: (301) 753-4108  
WWW.CHUTES.COM

DESCRIPTION:  
**PITCHED DOUBLE VENT CURBED/FLAT**

SIZE <b>B</b>	PART ID: VENT FLASHING AND RISER	REV <b>A</b>
------------------	-------------------------------------	-----------------

DO NOT SCALE DRAWING      SCALE: 1:12      SHEET 4 OF 4

4

3

2

1

12  
PITCH      K

B

B

A

A